


---

# Guide to Entrance Matting


**COBA**  
flooring



### Profile




Low Profile




Standard Profile

Profile	Low Profile	Standard Profile
Height	10mm	17mm
Best Use	Retrofits or surface-mounted areas.	New builds or deeper mat wells.

### Construction




Open




Closed

Type	Open Construction	Closed Construction
What It Means	Gaps between sections let dirt fall through, staying out of sight.	Smooth surface traps dirt on top for easy vacuuming.
Best For	Outdoor or heavy-traffic entrances.	Indoor or cleaner areas.


### Finish (Rails)



Aluminium



Black Anodised




Bronze

### Insert Types



Alba



Black Brushes



Needlepunch




Multi Directional Rubber

# Inserts & Styles



**Alba**

Open								
Closed								




**Black Brushes**

Open				Closed			



**Needlepunch**

Open						
Closed						




**Multi Directional Scrapers**


Open				Closed			




Ramped Edging for Low Profile




T Profile for Low Profile



T Profile for Standard Profile



Low Profile Frame for Recessed Wells



Standard Profile Frame for Recessed Wells



Expansion Strip for Low and Standard Profiles


---

Thank you!

**COBA**  
flooring

 [cobaflooring.com](http://cobaflooring.com)

 [sales@cobaflooring.com](mailto:sales@cobaflooring.com)

 COBA Flooring